

70/497

CHO, BHK, 293 cells, Vero expressed  
interferon alpha-14C.  
h = 1 to 3;  
a-g, j-m, i (independently selected) = 0 or 1;  
r-u (independently selected) = 0 or 1;  
n, v-y = 0; z = 1.

↓  
1. CMP-SA-PEG,  $\alpha$ 2,8-ST

h = 1 to 3;  
a-g, i, r-u (independently selected) = 0 or 1;  
j-m (independently selected) = 0 to 2;  
v-y (independently selected) = 1,  
when j-m (independently selected) is 2;  
z = 1; n = 0; R = PEG.

FIG. 30J

CHO, BHK, 293 cells, Vero expressed  
Interferon alpha-14C.  
a-g, j-m, r-u (independently selected) = 0 or 1;  
h = 1 to 3; n, v-y = 0; z = 1.

↓  
1. Sialidase  
2. Trans-sialidase, PEG-Sia-lactose

a-g, j-m, r-y (independently selected) = 0 or 1;  
h = 1 to 3; n = 0; z = 1; R = PEG.

FIG. 30K

71/497

CHO, BHK, 293 cells, Vero expressed  
interferon alpha-14C.  
h = 1 to 3;  
a-g, j-m, i (independently selected) = 0 or 1;  
r-u (independently selected) = 0 or 1;  
n, v-y = 0; z = 1.

1. CMP-SA,  $\alpha$ 2,8-ST

h = 1 to 3;  
a-g, i, r-u (independently selected) = 0 or 1;  
j-m (independently selected) = 0 to 40;  
z = 1; v-y, n = 0.

FIG. 30L

Insect cell or fungi expressed interferon alpha-14C.  
a-d, f, h, j-n, s, u, v-y = 0;  
e, g, i, r, t (independently selected) = 0 or 1;  
z = 1.

1. GNT's 1 & 2, UDP-GlcNAc
2. Galactosyltransferase,  
UDP-Gal-linker-SA-CMP
3. ST3Gal3, transferrin

a, c, e, g, i, r, t, v, x (independently selected) = 0 or 1;  
z = 1; b, d, f, h, j-n, s, u, w, y = 0;  
R = transferrin.

FIG. 30M

72/497



Insect cell or fungi expressed interferon alpha-14C.  
a-d, f, h, j-n, s, u, v-y = 0;  
e, g, i, r, t (independently selected) = 0 or 1; z = 1.

- ↓
1. endoglycanase
  2. Galactosyltransferase,  
UDP-Gal-linker-SA-CMP
  3. ST3Gal3, transferrin

i (independently selected) = 0 or 1;  
a-h, j-m, r-z = 0;  
n = 1; R' = -Gal-linker-transferrin.

FIG. 30N

73/497



a-c, e, f (independently selected) = 0 or 1;  
d, g = 0; R = polymer, glycoconjugate.

FIG. 300

74/497

CHO, BHK, 293 cells, Vero expressed  
IF-alpha (2a or 2b).  
a-c (independently selected) = 0 or 1;  
e = 1; d, f, g = 0



1. Sialidase
2. CMP-SA-PEG, ST3Gal1

a-d (independently selected) = 0 or 1;  
e = 1; b, f, g = 0; R = PEG.

FIG. 30P

Insect cell expressed interferon alpha (2a or 2b).  
a, e (independently selected) = 0 or 1;  
b, c, d, f, g = 0.



1. Galactosyltransferase, UDP-Gal
2. CMP-SA-PEG, ST3Gal1

a, c, d, e (independently selected) = 0 or 1;  
b, f, g = 0; R = PEG.

FIG. 30Q

75/497




FIG. 30R




FIG. 30S

76/497




FIG. 30T




FIG. 30U

77/497




FIG. 30V




FIG. 30W





79/497




FIG. 30Y




FIG. 30Z

80/497







FIG. 30AA

81/497



a-c, e (independently selected) = 0 or 1;  
 d = 0; R = polymer, linker.

FIG. 30BB

82/497




FIG. 30CC




FIG. 30DD

83/497





FIG. 30EE

84/497



a-d, i, r-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 4.

j-m (independently selected) = 0 or 1.

n, v-y = 0; z = 0 or 1; R = polymer

FIG. 31A

85/497

CHO, BHK, 293 cells, Vero expressed IF-beta  
 h = 1 to 3;  
 a-g, j-m, i (independently selected) = 0 or 1;  
 r-u (independently selected) = 0 or 1;  
 n, v-y = 0; z = 1.

- ↓
1. Sialidase
  2. CMP-SA-PEG, ST3Gal3

h = 1 to 3;  
 a-g, i (independently selected) = 0 or 1;  
 r-u (independently selected) = 0 or 1;  
 j-m, v-y (independently selected) = 0 or 1;  
 z = 1; n = 0; R = PEG.

FIG. 31B

Insect cell expressed IF-beta  
 a-d, f, h, j-n, s, u, v-y = 0;  
 e, g, i, r, t (independently selected) = 0 or 1;  
 z = 1.

- ↓
1. GNT's 1&2, UDP-GlcNAc
  2. Galactosyltransferase, UDP-Gal
  2. CMP-SA-PEG, ST3Gal3,  
buffer, salt

b, d, f, h, k, m, n, s, u, w, y = 0;  
 a, c, e, g, i, r, t (independently selected) = 0 or 1;  
 j, l, v, x (independently selected) = 0 or 1;  
 z = 1; R = PEG.

FIG. 31C



86/497

Yeast expressed IF-beta

a-n = 0; z = 1;

r-y (independently selected) = 0 to 1;

R (branched or linear) = Man, oligomannose or polysaccharide.

1. Endo-H
2. Galactosyltransferase, UDP-Gal
3. CMP-SA-PEG, ST3Gal3

a-m, r-z = 0; n = 1; R' = -Gal-Sia-PEG.

FIG. 31D

CHO, BHK, 293 cells, Vero expressed IF-beta

h = 1 to 3;

a-g, j-m, i (independently selected) = 0 or 1;

r-u (independently selected) = 0 or 1;

n, v-y = 0; z = 1.

1. CMP-SA-PEG, ST3Gal3

h = 1 to 3;

a-g, i (independently selected) = 0 or 1;

r-u (independently selected) = 0 or 1;

j-m, v-y (independently selected) = 0 or 1;

z = 1; n = 0; R = PEG.

FIG. 31E

87/497




FIG. 31F




FIG. 31G

88/497




FIG. 31H




FIG. 31I

89/497

CHO, BHK, 293 cells, Vero expressed IF-beta  
a-g, j-m, r-u (independently selected) = 0 or 1;  
h = 1 to 3; n, v-y = 0; z = 1.

- ↓
1. Sialidase
  2. Trans-sialidase, PEG-Sia-lactose

a-g, j-m, r-y (independently selected) = 0 or 1;  
h = 1 to 3; n = 0; z = 1; R = PEG.

FIG. 31J

CHO, BHK, 293 cells, Vero expressed Ifn-beta.  
a-d, i-m, r-u, z (independently selected) = 0 or 1;  
e-h = 1; n, v-y = 0.

- ↓
1. Sialidase
  2. CMP-SA-PEG (1.2 mol eq),  
ST3Gal3
  3. CMP-SA (16 mol eq), ST3Gal3

a-d, i-m, r-u, z (independently selected) = 0 or 1;  
e-h = 1; n=0;  
v-y (independently selected) = 0 or 1; R = PEG.

FIG. 31K

90/497

NSO expressed Ifn-beta.

a-d, i-m, r-u, z (independently selected) = 0 or 1;

e-h = 1; n, v-y = 0;

Sia (independently selected) = Sia or Gal.

- ↓
1. Sialidase and  $\alpha$ -galactosidase
  2.  $\alpha$ -Galactosyltransferase, UDP-Gal
  - ▼ 3. CMP-SA-PEG, ST3Gal3

a-d, i-m, r-u, z (independently selected) = 0 or 1;

e-h = 1; R = PEG

n = 0; v-y (independently selected) = 1,  
when j-m (independently selected) is 1;

FIG. 31L

CHO, BHK, 293 cells, Vero expressed Ifn-beta.

a-d, i-m, r-u, z (independently selected) = 0 or 1;

e-h = 1; n, v-y = 0.

- ↓
1. Sialidase
  2. CMP-SA-PEG (16 mol eq),  
ST3Gal3
  3. CMP-SA, ST3Gal3

a-d, i-m, r-u, z (independently selected) = 0 or 1;

e-h = 1; n = 0;

v-y (independently selected) = 0 or 1; R = PEG.

FIG. 31M

91/497




FIG. 31N






FIG. 31O

92/497



a-d, i, p-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 6.

j-m (independently selected) = 0 to 100.

v-y = 0; R = modifying group;

R' = H, glycosyl group, modifying group,  
glycoconjugate.

FIG. 31P

93/497

Insect cell expressed Ifn-beta.

a-d, f, h, j-m, s, u, v-y = 0;

e, g, i, q, r, t (independently selected) = 0 or 1.



1. GNT's 1,2,4,5, UDP-GlcNAc

2. Galactosyltransferase, UDP-Gal-PEG

a-i, q-u (independently selected) = 0 or 1;

j-m = 0; v-y (independently selected) = 1,

when e-h (independently selected) is 1;

R = PEG.

FIG. 31Q

Yeast expressed Ifn-beta.

a-m = 0; q-y (independently selected) = 0 to 1;

p = 1;

R (branched or linear) = Man, oligomannose.



1. Endoglycanase

2. Galactosyltransferase, UDP-Gal

3. CMP-SA-PEG, ST3Gal3

a-m, p-y = 0;

n (independently selected) = 0 or 1;

R' = -Gal-Sia-PEG.

FIG. 31R



94/497




CHO, BHK, 293 cells, Vero expressed Ifn-beta.  
a-d, i-m, q-u (independently selected) = 0 or 1;  
e-h = 1; v-y = 0.

- ↓
1. CMP-SA-linker-SA-CMP,  
ST3Gal3
  2. ST3Gal3, desialylated transferrin.
  3. CMP-SA, ST3Gal3

a-m, q-u (independently selected) = 0 or 1;  
p = 1; n = 0;  
v-y (independently selected) = 0 or 1;  
R = linker-transferrin.

FIG. 31S

95/497



a-d, i, q-u (independently selected) = 0 or 1.

o, p (independently selected) = 0 or 1.

e-h, n (independently selected) = 0 to 6.

j-m (independently selected) = 0 to 20.

v-y = 0;

R = modifying group, mannose, oligo-mannose, Sia-Lewis X, Sia-Lewis A..

FIG. 32A

96/497

BHK expressed Factor VII or VIIa

a-d, e, i, g, q, j, l, o, p (independently selected) = 0 or 1;  
 r, t = 1; f, h, k, m, s, u, v-y = 0; n = 0-4.

1. Sialidase

2. CMP-SA-PEG (16 mole eq),  
 ST3Gal3

a-d, e, g, i, q, j, l, o, p (independently selected) = 0 or 1;  
 r, t = 1; f, h, k, m, s, u, w, y = 0; n = 0-4;  
 v, x, (independently selected) = 1,  
 when j, l (respectively, independently selected) is 1;  
 R = PEG.

FIG. 32B

CHO, BHK, 293 cells, Vero expressed Factor VII or VIIa

a-d, e, i, g, q, j, l, o, p (independently selected) = 0 or 1;  
 r, t = 1; f, h, k, m, s, u, v-y = 0; n = 0-4.

1. Sialidase

2. CMP-SA-PEG (1.2 mole eq),  
 ST3Gal3

3. CMP-SA (8 mol eq), ST3Gal3

a-d, e, g, i, q, j, l, o, p (independently selected) = 0 or 1;  
 r, t = 1; f, h, k, m, s, u, w, y = 0; n = 0-4;  
 v or x, (independently selected) = 1,  
 when j or l, (respectively, independently selected) is 1;  
 R = PEG.

FIG. 32C

97/497


NSO expressed Factor VII or VIIa  
a-u (independently selected) = 0 or 1;  
v-y = 0; n = 0-4;  
Sia (independently selected) = Sia or Gal.

- ↓  
1. Sialidase and  $\alpha$ -galactosidase  
2. Galactosyltransferase, UDP-Gal  
▼ 3. CMP-SA-PEG, ST3Gal3

a-m, o-u (independently selected) = 0 or 1;  
n = 0-4; v-y (independently selected) = 1,  
when j-m (independently selected) is 1;  
Sia = Sia; R = PEG.

FIG. 32D

98/497



a-d, i, n-u (independently selected) = 0 or 1.

bb, cc, dd, ee, ff, gg (independently selected) = 0 or 1.

c-h, aa (independently selected) = 0 to 6.

j-m (independently selected) = 0 to 20.

v-z = 0; R = modifying group, mannose, oligo-mannose.

FIG. 33A

99/497




FIG. 33B




FIG. 33C

100/497

CHO, BHK, 293 cells, Vero expressed Factor IX  
 a-d, n, q, bb, cc, dd, ff = 1; e-h, aa = 1 to 4; ee, j-m, i,  
 o, p, r-u (independently selected) = 0 or 1; v-z, gg = 0.

1. sialidase
2. Galactosyltransferase, UDP-Gal
3. CMP-SA, ST3Gal3
4. CMP-SA-PEG, ST3Gal1

a-d, n, q = 1; e-h = 1 to 4;  
 aa, bb, cc, dd, ee, ff, i, r-u (independently selected) =  
 0 or 1; R = PEG;  
 o, v-y, gg = 0;  
 j-m, p, ee (independently selected) = 0 or 1, but when  
 p = 1, z = 1.

FIG. 33D

CHO, BHK, 293 cells, Vero expressed Factor IX  
 a-d, q = 1; e-h = 1 to 4;  
 aa, bb, cc, dd, ee, ff, j-m, i, n, o, p, r-u (independently  
 selected) = 0 or 1;  
 v-z, gg = 0.

CMP-SA-PEG, ST3Gal3

a-d, q = 1; e-h = 1 to 4;  
 aa, bb, cc, dd, ee, ff, i, n, r-u (independently selected)  
 = 0 or 1; R = PEG;  
 o, p, z = 0; j-m, ee, v-y, gg (independently selected) =  
 0 or 1.

FIG. 33E

101/497

CHO, BHK, 293 cells, Vero expressed Factor IX  
 a-d, q = 1; e-h = 1 to 4;  
 aa, bb, cc, dd, ee, ff, j-m, i, n, o, p, r-u (independently  
 selected) = 0 or 1;  
 v-z, gg = 0.

- ↓
1. CMP-SA-levulinate, ST3Gal3,  
buffer, salt
  2.  $H_4N_2$ -PEG

a-d, q = 1; e-h = 1 to 4;  
 aa, bb, cc, dd, ee, ff, i, n, r-u (independently selected)  
 = 0 or 1;  
 o, p, z = 0; R = PEG;  
 j-m, ee, v-y, gg (independently selected) = 0 or 1.

FIG. 33F

CHO, BHK, 293 cells, Vero expressed Factor IX  
 a-d, n, q, bb, cc, dd, ff = 1;  
 e-h, aa = 1 to 4;  
 ee, j-m, i, o, p, r-u (independently selected) = 0 or 1;  
 v-z, gg = 0.


- ↓
1. CMP-SA-PEG,  $\alpha 2,8$ -ST

a-d, q = 1; e-h = 1 to 4;  
 aa, bb, cc, dd, ee, ff, i, n, r-u (independently selected)  
 = 0 or 1;  
 o, p, z = 0; R = PEG;  
 j-m, ee (independently selected) = 0 to 2;  
 v-y, gg (independently selected) = 1, when j-m  
 (independently selected) is 2;

FIG. 33G



102/497



a-d, i, q-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 6.

j-m (independently selected) = 0 to 100.

v-y = 0;

R = modifying group, mannose, oligo-mannose.

FIG. 34A

103/497




FIG. 34B




FIG. 34C

104/497

NSO expressed FSH.

a-d, i-m, q-u (independently selected) = 0 or 1;

e-h = 1; v-y = 0;

Sia (independently selected) = Sia or Gal.

- ↓
1. Sialidase and  $\alpha$ -galactosidase
  2. Galactosyltransferase, UDP-Gal
  3. CMP-SA-PEG, ST3Gal3
- ↓

a-d, i-m, q-u (independently selected) = 0 or 1;

e-h = 1; v-y (independently selected) = 1,

when j-m (independently selected) is 1;

R = PEG.

FIG. 34D

CHO, BHK, 293 cells, Vero expressed FSH.

a-d, i-m, q-u (independently selected) = 0 or 1;

e-h = 1; v-y = 0.

- ↓
1. Sialidase
  2. CMP-SA-PEG (16 mol eq),  
ST3Gal3
  3. CMP-SA, ST3Gal3
- ↓

a-d, i-m, q-u (independently selected) = 0 or 1;

e-h = 1; v-y (independently selected) = 0 or 1;

R = PEG.

FIG. 34E

105/497




FIG. 34F




FIG. 34G

106/497




FIG. 34H




FIG. 34I

107/497


CHO, BHK, 293 cells, Vero expressed FSH.  
a-d, i-m, q-u (independently selected) = 0 or 1;  
e-h = 1; v-y = 0.

- ↓
1. CMP-SA-linker-SA-CMP, ST3Gal3
  2. ST3Gal1, desialylated chorionic gonadotrophin (CG) produced in CHO.
  3. CMP-SA, ST3Gal3, ST3Gal1

a-m, q-u (independently selected) = 0 or 1;  
p = 1; n = 0;  
v-y (independently selected) = 0 or 1;  
R = linker-CG.

FIG. 34J

108/497



a-d, i, n-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 4.

j-m (independently selected) = 0 to 20.

v-z = 0;

R = polymer.

FIG. 35A

109/497




FIG. 35B




FIG. 35C



110/497

CHO, BHK, 293 cells, Vero expressed EPO  
 a-q, r-u (independently selected) = 0 or 1;  
 v-z = 0.

1. sialidase
2. Galactosyltransferase, UDP-Gal
3. CMP-SA, ST3Gal3
4. CMP-SA-PEG, ST3Gal1

a-h, n, q = 1;  
 i-m, o, r-u (independently selected) = 0 or 1;  
 v-y = 0; p, z = 0 or 1; R = PEG.

FIG. 35D

CHO, BHK, 293 cells, Vero expressed EPO  
 a-g, n, q = 1; h = 1 to 3;  
 j-m, i, o, p (independently selected) = 0 or 1;  
 r-u (independently selected) = 0 or 1;  
 v-z = 0

1. CMP-SA-PEG, ST3Gal3

a-g, n, q = 1; h = 1 to 3;  
 i, o, p (independently selected) = 0 or 1;  
 r-u (independently selected) = 0 to 1;  
 j-m, v-y (independently selected) = 0 or 1;  
 R = PEG; z = 0.

FIG. 35E

111/497




FIG. 35F




FIG. 35G

112/497




FIG. 35H




FIG. 35I

113/497




FIG. 35J




FIG. 35K

114/497




FIG. 35L




FIG. 35M

115/497




FIG. 35N




FIG. 35O

116/497

CHO, BHK, 293 cells, Vero expressed EPO  
 a-q, r-u (independently selected) = 0 or 1;  
 v-z = 0.



1. CMP-SA-PEG,  $\alpha 2,8$ -sialyltransferase

a-h, i-o, p-u, v-z (independently selected)  
 = 0 or 1;  
 R = SA-PEG.

FIG. 35P

yeast or fungi expressed EPO  
 r, t, u, v, x, y (independently selected) = 0 or 1;  
 a-m, n-q, s, w, z = 0; R = (Man)<sub>n</sub>  
 where n = 1-5, linear or branched.



1. mannosidases  
 2. GNT-1, UDP-GlcNAc  
 3. galactosyltransferase, UDP-Gal  
 4. ST3Gal3, CMP-SA-PEG

a, e, j, r, v (independently selected) = 0 or 1;  
 b-d, f-i, k-q, s-u, w-z = 0; R = PEG.

FIG. 35Q

117/497

yeast or fungi expressed EPO  
 $r, t, u, v, x, y$  (independently selected) = 0 or 1;  
 $a-m, n-q, s, w, z = 0$ ;  $R = (\text{Man})_n$   
 where  $n = 1-5$ , linear or branched.

- ↓  
 1. mannosidases  
 2. GNT-1, UDP-GlcNAc-PEG

$e, r, v$  (independently selected) = 0 or 1;  
 $a-h, i-q, s-u, w-z = 0$ ;  $R = \text{PEG}$ .

FIG. 35R

yeast or fungi expressed EPO  
 $r, t, u, v, x, y$  (independently selected) = 0 or 1;  
 $a-m, n-q, s, w, z = 0$ ;  $R = (\text{Man})_n$   
 where  $n = 1-5$ , linear or branched.


- ↓  
 1. mannosidase-I  
 2. GNT-1, UDP-GlcNAc  
 3. galactosyltransferase, UDP-Gal  
 4. ST3Gal3, CMP-SA-PEG

$a, e, j, r, t-u, v, x, y$  (independently selected)  
 = 0 or 1;  
 $b-d, f-i, k-q, s, w, z = 0$ ;  
 $(R)_v = \text{PEG}$ ;  $(R)_x$  and  $(R)_y = \text{Man}$ .

FIG. 35S



118/497



a-d, i, n-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 4.

j-m (independently selected) = 0 to 20.

v-z = 0; aa, bb = 1; cc = 0;

R = polymer; R'' and R' = sugar-polymer or Fuc.

FIG. 35T

119/497

yeast or fungi expressed EPO  
 $r, t, u, v, x, y$  (independently selected) = 0 or 1;  
 $cc, a-m, n-q, s, w, z = 0$ ;  
 $aa, bb = 1$ ;  
 $R = (Man)_n$ , where  $n = 1-100$ , linear or branched.

- ↓  
 1. endo-H  
 ↓  
 2. galactosyltransferase, UDP-Gal-PEG

$i$  (independently selected) = 0 or 1;  
 $aa, bb, cc, a-h, j-z = 0$ ;  $R'' = \text{Gal-PEG}$ .

FIG. 35U

yeast or fungi expressed EPO  
 $r, t, u, v, x, y$  (independently selected) = 0 or 1;  
 $cc, a-m, n-q, s, w, z = 0$ ;  $aa, bb = 1$ ;  
 $R = (Man)_n$ , where  $n = 1-100$ , linear or branched.

- ↓  
 1. endo-H  
 ↓  
 2. galactosyltransferase, UDP-Gal  
 ↓  
 3. ST3Gal3, CMP-SA-PEG

$i$  (independently selected) = 0 or 1;  
 $aa, bb, cc, a-h, j-z = 0$ ;  $R'' = \text{Gal-SA-PEG}$ .

FIG. 35V

120/497




FIG. 35W

121/497




FIG. 35X

122/497




FIG. 35Y




FIG. 35Z

123/497




FIG. 35AA



125/497

CHO, BHK, 293 cells, Vero expressed GM-CSF.  
 a-d, i-m, o-u, aa (independently selected) = 0 or 1;  
 n, e-h = 1; v-z = 0.



1. Sialidase
2. CMP-SA-PEG (16 mol eq),  
ST3Gal3

a-d, i-m, q-u, aa (independently selected) = 0 or 1;  
 o, p, z = 0; n, e-h = 1;  
 v-y (independently selected) = 1,  
 when j-m (independently selected) is 1;  
 R = PEG.

FIG. 36B

CHO, BHK, 293 cells, Vero expressed GM-CSF.  
 a-d, i-m, o-u, aa (independently selected) = 0 or 1;  
 n, e-h = 1; v-z = 0.



1. Sialidase
2. CMP-SA-PEG (1.2 mol eq),  
ST3Gal3
3. CMP-SA (16 mol eq), ST3Gal3 &  
ST3Gal1

a-d, i-m, p-u, aa (independently selected) = 0 or 1;  
 o, z = 0; n, e-h = 1;  
 v-y (independently selected) = 0 or 1; R = PEG.

FIG. 36C



126/497




FIG. 36D




FIG. 36E

127/497

CHO, BHK, 293 cells, Vero expressed GM-CSF.  
a-d, i-m, o-u, aa (independently selected) = 0 or 1;  
n, e-h = 1; v-z = 0.



1. CMP-SA-levulinate, ST3Gal3,  
buffer, salt
2. H<sub>4</sub>N<sub>2</sub>-PEG

a-d, i-m, o-y, aa (independently selected) = 0 or 1;  
z = 0; n, e-h = 1; R = PEG.

FIG. 36F

CHO, BHK, 293 cells, Vero expressed GMCSF.  
a-d, i-m, o-u, aa (independently selected) = 0 or 1;  
n, e-h = 1; v-z = 0.




1. CMP-SA,  $\alpha$ 2,8-ST

a-d, i, o-u, aa (independently selected) = 0 or 1;  
n, e-h = 1; j-m (independently selected) = 0-20;  
v-z (independently selected) = 0.

FIG. 36G

128/497



a-d, i, n-u, aa, bb, cc (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 6.

j-m (independently selected) = 0 to 100.

v-y = 0; R = modifying group, mannose, oligo-mannose.

R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 36H

129/497

Insect cell expressed GM-CSF.

a-d, f, h, j-m, o, p, s, u, v-z = 0;

e, g, i, n, q, r, t, aa (independently selected) = 0 or 1.

1. GNT's 1,2,4,5, UDP-GlcNAc

2. Galactosyltransferase, UDP-Gal-PEG

a-i, n, q-u (independently selected) = 0 or 1;

j-m = 0; v-y (independently selected) = 1,

when e-h (independently selected) is 1;

R = PEG.

FIG. 36I

Yeast expressed GM-CSF.

a-p, z, cc = 0;

q-y, aa (independently selected) = 0 to 1;

bb = 1; R (branched or linear) = Man, oligomannose;

GalNAc = Man.

1. Endoglycanase

2. mannosidase (if aa = 1).

3. Galactosyltransferase, UDP-Gal-PEG

a-p, r-z, aa, bb = 0;

q, cc (independently selected) = 0 or 1;

R' = -Gal-PEG.

FIG. 36J

130/497



CHO, BHK, 293 cells, Vero expressed GM-CSF.  
a--m, o-u, aa, bb (independently selected) = 0 or 1;  
n, v-z, cc = 0.

- ↓
1. sialidase
  2. CMP-SA, ST3Gal3
  2. CMP-SA-linker-SA-CMP, ST3Gal1
  3. ST3Gal3, transferrin

a--m, p-u, z, aa (independently selected) = 0 or 1;  
o, v-y, cc = 0; bb, n = 1; R = transferrin.

FIG. 36K

131/497



a-d, i, q-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 6.

j-m (independently selected) = 0 to 100.

v-y = 0; R = polymer.

FIG. 37A

132/497




FIG. 37B




FIG. 37C

133/497

NSO expressed Interferon gamma.

a-d, i-m, q-u (independently selected) = 0 or 1;

e-h = 1; v-y = 0;

Sia (independently selected) = Sia or Gal.

1. Sialidase and  $\alpha$ -galactosidase
2.  $\alpha$ -Galactosyltransferase, UDP-Gal
- ▼ 3. CMP-SA-PEG, ST3Gal3

a-d, i-m, q-u (independently selected) = 0 or 1;

e-h = 1; v-y (independently selected) = 1,

when j-m (independently selected) is 1;

R = PEG.

FIG. 37D

CHO, BHK, 293 cells, Vero expressed  
Interferon gamma.

a-d, i-m, q-u (independently selected) = 0 or 1;

e-h = 1; v-y = 0.

1. Sialidase
2. CMP-SA-PEG (16 mol eq),  
ST3Gal3
- ▼ 3. CMP-SA, ST3Gal3

a-d, i-m, q-u (independently selected) = 0 or 1;

e-h = 1; v-y (independently selected) = 0 or 1;

R = PEG.

FIG. 37E



134/497




FIG. 37F






FIG. 37G

135/497



a-d, i, n, p-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 6.

j-m (independently selected) = 0 to 100.

v-y = 0;

R = modifying group, mannose, oligo-mannose;

R' = H, glycosyl residue, modifying group,

glycoconjugate.

FIG. 37H

136/497




FIG. 37I




FIG. 37J

137/497

CHO, BHK, 293 cells, Vero expressed IF-gamma.  
a-d, i-m, q-u (independently selected) = 0 or 1;  
e-h = 1; v-y = 0.

- ↓
1. CMP-SA-linker-Gal-UDP, ST3Gal3
  2. Galactosyltransferase, transferrin treated with endoglycanase.

a-m, q-u (independently selected) = 0 or 1;  
p = 1; n = 0;  
v-y (independently selected) = 0 or 1;  
R = linker-transferrin.

FIG. 37K

CHO, BHK, 293 cells, Vero expressed  
Interferon gamma.  
a-d, i-m, q-u (independently selected) = 0 or 1;  
e-h, p = 1; n, v-y = 0.

- ↓
1. CMP-SA-PEG,  
ST3Gal3

a-d, i-m, q-u (independently selected) = 0 or 1;  
e-h, p = 1;  
n, v-y (independently selected) = 0 or 1;  
R = PEG.

FIG. 37L

138/497




FIG. 37M




FIG. 37N



140/497




FIG. 38B




FIG. 38C

141/497




FIG. 38D




FIG. 38E



142/497

CHO, BHK, 293 cells, Vero expressed  $\alpha_1$ -antitrypsin.  
a-d, i-m, q-u (independently selected) = 0 or 1;  
e-h = 1; v-y = 0.





1. CMP-SA,  $\alpha_2$ ,8-ST

a-d, i, q-u (independently selected) = 0 or 1; e-h = 1;  
j-m (independently selected) = 0-20;  
v-y (independently selected) = 0.

FIG. 38F

143/497



a-d, i, n, p-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 6.

j-m (independently selected) = 0 to 100.

v-y = 0;

R = modifying group, mannose, oligo-mannose;

R' = H, glycosyl residue, modifying group, glycoconjugate.

FIG. 38G

144/497




FIG. 38H




FIG. 38I

145/497



CHO, BHK, 293 cells, Vero expressed  $\alpha_1$ -antitrypsin.  
a-d, i-m, q-u (independently selected) = 0 or 1;  
e-h = 1; v-y = 0.

- ↓
1. CMP-SA-linker-Gal-UDP,  
ST3Gal3
  2. Galactosyltransferase, transferrin treated  
with endoglycanase

a-m, q-u (independently selected) = 0 or 1;  
p = 1; n = 0;  
v-y (independently selected) = 0 or 1;  
R = linker-transferrin.

FIG. 38J

146/497



a-d, i, n-u (independently selected) = 0 or 1.

e-h (independently selected) = 0 to 4.

j-m (independently selected) = 0 to 20.

R = polymer;

R', R'' (independently selected) = sugar, glycoconjugate.

FIG. 38K

147/497

Yeast expressed alpha-1 antitrypsin.

a-h, i-m, p, q = 0;

R (independently selected) = mannose, oligomannose, polymannose;

r-u, v-y (independently selected) = 0 or 1; n, o = 1.

- ↓ 1. endoglycanase  
↓ 2. Galactosyltransferase, UDP-Gal-PEG

a-h, i-o, q, r-u, v-y = 0; p = 1.

R' = Gal-PEG.

FIG. 38L

Plant expressed alpha-1 antitrypsin.

a-d, f, h, j-m, s, u, v-y = 0;

e, g, i, q, r, t (independently selected) = 0 or 1;

n=1; R' = xylose

- ↓ 1. hexosaminidase,  
↓ 2. alpha mannosidase and xylosidase  
↓ 3. GlcNAc transferase, UDP-GlcNAc-PEG

a-d, f, h, j-n, s, u, v-y = 0;

e, g, i, r, t (independently selected) = 0;

q = 1; R' = GlcNAc-PEG.

FIG. 38M

148/497

CHO, BHK, 293 cells, Vero, transgenic animal  
expressed  $\alpha_1$  antitrypsin.

a-h, i-o, r-u (independently selected) = 0 or 1;

p, q, v-y = 0.

1. CMP-SA-PEG,  
ST3Gal3

a-h, i-o, r-u (independently selected) = 0 or 1;

p, q = 0; v-y (independently selected) = 0 or 1;

R = PEG.

FIG. 38N